





Product Type: Spring-cage terminal

Product Name:TCT2.5-2-GY-N

Product Description: Connection method:Spring cage connection,IEC Rated Current:22A,IEC Rated Voltage:500V,Number of connections:6,Number of levels:3,Rated cross section:28-12AWG

Product Size



Parameters

⌘ SUPU ID	TCT2.5-2-GY-N
⌘ Width	5.2mm
⌘ Number of levels	3
⌘ Number of connections	6

☞ Connection method	Spring-cage connection
☞ Protection Level	IP20
☞ Insulation material	PA66
☞ Insulation material group	I
☞ Contact material	Copper alloy
☞ Contact plating	Sn,Plated
☞ Ambient temperature (operation)	-40°C~105°C
☞ Ambient temperature (assembly)	-5°C~70°C
☞ Ambient temperature (storage)	-25°C~60°C
☞ Permissible humidity (storage/transport)	30%~70%

Commercial data

☞ Order No	TCT2.5-2-GY-N
------------	---------------

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

Date:2026-03-13 16:34

The right to modify data belongs to SUPU.