


Product Type: Heavy-duty connector pins

Product Name:SCGM-010-0.75

Product Description: 10A gold plated, Male, compatible with 0.75mm<sup>2</sup>

Product Size



Parameters

|                                                                 |                                |
|-----------------------------------------------------------------|--------------------------------|
| <div> <div></div> <div>SUPU ID</div> </div>                     | SCGM-010-0.75                  |
| <div> <div></div> <div>Operating temperature range</div> </div> | -40°C~+125°C                   |
| <div> <div></div> <div>Category</div> </div>                    | cold-pressed pin male terminal |
| <div> <div></div> <div>Connection method</div> </div>           | Crimp terminal                 |

|                        |      |
|------------------------|------|
| ⌘ Mechanical endurance | ≥500 |
|------------------------|------|

## Technical data

|                            |                            |
|----------------------------|----------------------------|
| ⌘ IEC Rated Current        | 10A                        |
| ⌘ Contact/surface material | Hard-gold Plated           |
| ⌘ Pin Material             | Copper Alloy               |
| ⌘ Contact resistance       | ≤3mΩ                       |
| ⌘ Wire Specification       | 0.75mm <sup>2</sup> /18AWG |

## Commercial data

|                          |               |
|--------------------------|---------------|
| ⌘ Order No               | SCGM-010-0.75 |
| ⌘ Packing unit           | PCS           |
| ⌘ Minimum order quantity | 1             |

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

---

Date:2026-03-14 21:50

The right to modify data belongs to SUPU.